



Wastewater Treatment Utility
 500 South River Road
 West Lafayette, Indiana 47906
 Voice: (765) 775-5145
 Fax: (765) 775-5149

MONTHLY REPORT OF OPERATIONS

National Pollutant Discharge Elimination System -- NPDES

May 2015--MONTHLY AVERAGES

Limit

TSS	5	mg/l	(30.00)
CBOD	3.1	mg/l	(25.00)
NH ₄	0.14	mg/L	(6.00)
Cl ₂	0.022	mg/L	(0.06)
E. COLI	11	#/100ml	(125.00)
FLOW TOTAL	225.63	MG	
	AVG	7.28	MGD
	MAX	12.3	MGD
	MIN	5.29	MGD
PRECIPITATION	4.12	INCHES	

May 2015--PERCENT REMOVALS

TSS	96.5	REPORT ONLY
CBOD	97.5	REPORT ONLY
Ammonia	99.1	REPORT ONLY
Phosphorus	29.8	REPORT ONLY

COMBINED SEWER OVERFLOWS

May 2015	MG	HOURS	Events
TOTAL FLOW	225.68		
PERCENT TREATED	99.9782		
OVERFLOW POINT			
DEHART STREET	0.0140	1.5	1
QUINCY STREET	0.0352	1.98	5
Wet Weather Treatment Facility	0.0000	0	0
OVERFLOW TOTAL	0.0492	3.48	6